

assistPro

assistPro F Item No.: 2400 0005
 assistPro H Item No.: 2400 0009

The perfect assistant's chair for your OR.

Chassis

- High-grade 5-arm aluminum pedestal
- Excellent handling characteristics thanks to smooth-running double castors
- Optionally available with braking double castors
- Supports loads up to 130 kilograms



Seating system

Comfort Seat

- Ergonomically shaped seat and backrest
- Supports a correct, back-friendly sitting posture
- Durable, easy-care seat cover made of medical-grade artificial leather to meet the highest OR requirements
- Optionally available with electrically conductive upholstery



assistPro F foot trigger
sterile height adjustment



assistPro H manual trigger
classic height adjustment



Technical specifications

Lifting column

- Height adjustment *assistPro F* 530 – 730 mm
- assistPro H* 520 – 720 mm

Chassis

- Five legged chassis \varnothing 585 mm
- Castors \varnothing 65 mm

Comfort seat

- D x W x H (incl. back part) 385 x 425 x 540 mm
- Seat angle adjustment $+5^{\circ}/-5^{\circ}$
- Back angle adjustment $+5^{\circ}/-25^{\circ}$

Weight

- assistPro F* 12 kg
- assistPro H* 11 kg

Max. load

130 kg

Subject to technical modifications.

Flexibility

Variants

- Sterile, comfortable height adjustment via foottriggered gas pressure spring (*assistPro F*)
- Classic seat height adjustment via manual trigger underneath the seat (*assistPro H*)
- Flexible height adjustment from 53 to 73 cm (*assistPro F*) and 52 to 72 cm (*assistPro H*)
- Reduces neck and back tension caused by prolonged sitting
- Optionally available with arm supports (*assistPro F*)

Standard color

black

Item No.: 3037 0235



"Periline" Page 105

Comfort

Components



assistTrend
Item No.: 2500 0002



assistPro F
Item No.: 2400 0005



assistPro H
Item No.: 2400 0009



Armrest pair
incl. traverse
assistTrend

Item No.: 3300 0000



Armrest pair
incl. traverse
assistPro F

Item No.: 3351 0038



easyPro F
Item No.: 2400 0010



easyPro H
Item No.: 2400 0006



easyPro R
Item No.: 2400 0013



Double rimmed castor,
65 mm, with braking function

Item No.: 3351 0040

“Periline”



Product Specification

- Without Phthalates
- Biocompatibility: cytotoxicity (EN ISO 10 993-5) and epicutaneous test (EN ISO 10 993-10)
- Urine resistance
- Blood resistance
- Resistance to perspiration
- Resistance to spitting
- Light fastness
- Color fastness to rubbing
- Flame retardant

<i>surgiForce</i>	Comfort seat	2600 0004
<i>surgiForce light</i>	Comfort seat	2600 0006
<i>surgiTrend</i>	Comfort seat	2200 0012
<i>surgiLine</i>	Comfort seat	2200 0013
<i>assistPro F</i>		2400 0005
<i>assistPro H</i>		2400 0009
<i>easyPro F</i>		2400 0010
<i>easyPro H</i>		2400 0006
<i>easyPro R</i>		2400 0013
<i>easyLine F</i>		2400 0020
<i>easyLine R</i>		2400 0022
<i>easyLine Rs</i>		2400 0024

+ Item No.: 3037 0...

				
kastanie 015817 Item No.:240	light brown 016037 Item No.:239	creme 015812 Item No.:225	weiß 010881 Item No.:224	stein 015813 Item No.:236
				
saphir 015814 Item No.:231	delft 010766 Item No.:241	antistatisch schwarz Item No.:223	schwarz 011499 Item No.:235	anthracit 016046 Item No.:234
				
azur 015815 Item No.:230	aubergine 016041 Item No.:229	lavendel 016042 Item No.:228	rot 010878 Item No.:238	orange 016040 Item No.:237
				
kiwi 015816 Item No.:233	lime green 016043 Item No.:232	lemon 016039 Item No.:226	safran 010879 Item No.:227	

The colors displayed on your device may differ slightly from the original colors. If you wish to receive original color charts, please contact us at info@ufsk-osys.com.

Upgrade your OR to perfection.



eyeForce



500 XLE



500 XLE comfort



500 XLS



500 ECO



400 XL



motionLine



motionLine-E



surgiForce



surgiForce light



surgiTrend



surgiLine



stayClean wipes



stayClean



staySoft



stayClean roll



supportLine



supportLine plus



assistTrend



assistPro F



assistPro H



easyPro F



easyPro H



easyPro R



easyLine F



easyLine R



easyLine Rs



assistLine

CONTACT US



UFSK
INTERNATIONAL

OSYS

UFSK-International OSYS GmbH
Kirchhoffstraße 1
93055 Regensburg
Germany

Phone +49 (0) 941 78862 15
Fax +49 (0) 941 78862 35
Mail info@ufsk-osys.com
Web ufsk-osys.com

MADE IN GERMANY
Design | Construction | Manufacturing